

Table 3 Body weight gain (gm/individual fish) (mean \pm SE) of Nile tilapia fingerlings

Ponds	Experimental period (days)							
	15	30	45	60	75	90	105	120
P1	0.2 \pm	0.9 \pm	2.1 \pm	2.2 \pm	2.3 \pm	2.3 \pm	2.6 \pm	2.6 \pm
P2	0.03 ^c	0.04 ^c	0.04 ^c	0.08 ^c	0.03 ^c	0.03 ^c	0.03 ^c	0.03 ^c
	1.2 \pm	4.3 \pm	4.5 \pm	5.4 \pm	5.9 \pm	6.0 \pm	9.2 \pm	10.1 \pm
P3	0.05 ^b	0.01 ^b	0.05 ^b	0.06 ^a	0.08 ^b	0.08 ^b	0.54 ^b	0.78 ^b
	3.0 \pm	3.5 \pm	4.9 \pm	5.7 \pm	7.5 \pm	9.5 \pm	11.8 \pm	12.3 \pm
	0.09 ^a	0.07 ^a	0.12 ^a	0.20 ^a	0.25 ^a	0.36 ^a	0.38 ^a	0.53 ^a

Note: Means with the same letter in each column are not significantly different ($P > 0.05$)