

Table 9 Anti-nutrients in experimental diet based on soya bean (fullfat)

Treatment	Tannin (mg/g)	Phytate (mg/g)	Oxalate (mg/g)
S0P0	0.00±0.00	0.40±0.02 ^e	0.40±0.02 ^a
S1P0	0.00±0.00	0.52±0.01 ^{hi}	1.92±0.02 ^f
S1P1	0.00±0.00	0.14±0.01 ^a	1.94±0.12 ^f
S1P2	0.00±0.00	0.61±0.01 ^k	1.39±0.04 ^e
S1P3	0.00±0.00	0.51±0.01 ^{hi}	0.91±0.01 ^{bc}
S1P4	0.00±0.00	0.18±0.01 ^b	0.74±0.01 ^b
S2P0	0.00±0.00	0.57±0.01 ^j	2.26±0.11 ^{gh}
S2P1	0.00±0.00	0.44±0.01 ^{fg}	2.26±0.08 ^{gh}
S2P2	0.00±0.00	0.41±0.01 ^{ef}	1.95±0.09 ^f
S2P3	0.00±0.00	0.39±0.01 ^e	2.02±0.13 ^f
S2P4	0.00±0.00	0.18±0.01 ^b	2.09±0.12 ^{fg}
S3P0	0.00±0.00	0.43±0.02 ^{efg}	3.09±0.11 ^j
S3P1	0.00±0.00	0.34±0.04 ^d	2.28±0.03 ^{gh}
S3P2	0.00±0.00	0.51±0.02 ^b	2.42±0.04 ^{hi}
S3P3	0.00±0.00	0.55±0.01 ^{ij}	2.47±0.23 ^{hi}
S3P4	0.00±0.00	0.44±0.01 ^{fg}	2.61±0.11 ⁱ
S4P0	0.00±0.00	0.40±0.01 ^e	4.95±0.21 ^k
S4P1	0.00±0.00	0.21±0.01 ^b	1.40±0.01 ^e
S4P2	0.00±0.00	0.25±0.01 ^c	0.83±0.05 ^b
S4P3	0.00±0.00	0.45±0.01 ^g	1.14±0.12 ^d
S4P4	0.00±0.00	0.26±0.01 ^c	1.08±0.05 ^{cd}
Sig.		<0.05	<0.05

Note: Means with the same superscript in the same column are not significant (P<0.05). n=2