Table 2 Proximate composition of fish before and after the experiment

	Before	Treatment 1	Treatment 2	Treatment 3	Treatment 4	Treatment 5	Treatment 6
Crude Protein	55.80 ± 0.02^{a}	63.40 ± 0.05^{e}	58.39±0.07 ^b	63.19 ± 0.04^{d}	61.99 ± 0.25^{g}	63.75±1.0 ^f	62.49±0.45°
Ash	17.50 ± 0.05^{a}	20.01±1.75°	19.90±0.05°	20.20±0.05°	19.20 ± 0.05^{b}	19.20 ± 0.15^{b}	20.20 ± 0.02^{c}
Ether extract	3.50 ± 0.06^{a}	7.40 ± 0.01^{b}	7.70 ± 0.00^{c}	7.80 ± 0.15^{d}	8.41 ± 0.31^{f}	8.10 ± 0.05^{e}	9.70 ± 0.71^{g}
Crude Fibre	1.90±0.01 ^a	2.19 ± 0.05^{d}	1.98 ± 0.02^{b}	2.21 ± 0.15^{d}	2.12 ± 0.06^{c}	2.04 ± 0.05^{b}	2.22 ± 0.08^{d}
NFE	21.30 ± 0.60^{g}	7.00 ± 0.05^{d}	$12.03\pm0.01^{\rm f}$	6.60 ± 0.09^{b}	8.28 ± 0.08^{e}	6.91 ± 0.07^{c}	5.39 ± 0.17^{a}

Note: Mean followed by the same letter are not significantly different (p > 0.05). NFE = Nitrogen free extract