

Table 1 Values of length-weight relationship (a, b and R) for different species at different regions

References	a-values		b-values		R ² or R-values		Species
	female	male	female	male	female	male	
(Ilkyaz et al, 2006)	0.115	0.127	2.94	2.78	0.92	0.89	<i>L. aurata</i>
(Glamuzina et al, 2007)	0.003	0.014	3.27	2.85	0.95	0.95	<i>L. ramada</i>
(Lawson, et al, 2010)	-4.89	-3.91	2.9	2.48	0.89	0.87	<i>L. falcipinnis</i>
(Balik et al, 2011)	0.006	0.006	3.2	3.1	0.97	0.96	<i>L. saliens</i>
(De Oliveira et al, 2011)	0.00004	0.00005	2.75	2.7	0.92	0.95	<i>M. curema</i>
(Hashemi et al , 2013)	0.011	0.024	3	2.76	0.78	0.72	<i>L. klunzingeri</i>
(El-Ganainy et al, 2014)	0.0055		2.869		0.919		<i>L. carinata</i>
	0.016		2.847		0.75		<i>L. ramada</i>
(Mohammed et al, 2016)	0.014		2.892		0.74		<i>Mugil cephalus</i>
Present study	0.012	0.034	2.94	2.56	0.87	0.8	<i>L. carinata</i>