

Table 2 Mean values of species abundance in the Sangu river estuary in different seasons

Species name	Winter (%)	Pre-monsoon (%)	Monsoon (%)	Post-monsoon (%)	Mean (%)
<i>Acetes</i> sp.	56.21	53.70	0.00	0.00	25.18
<i>Matuta victor</i>	8.50	8.17	29.67	24.00	18.77
<i>Exopalaemon styliferus</i>	11.76	12.06	24.16	22.00	18.28
<i>Parapenaeopsis sculptilis</i>	6.86	12.84	12.20	28.00	14.22
<i>Macrobrachium mirabile</i>	6.54	6.23	9.81	7.20	7.72
<i>Potamon</i> sp.	3.27	0.00	7.89	5.20	4.55
<i>Metapenaeus monoceros</i>	1.31	3.11	5.50	2.00	3.25
<i>Scylla serrata</i>	1.63	1.17	2.15	5.20	2.44
<i>Penaeus monodon</i>	0.00	0.00	0.72	5.20	1.30
<i>Charybdis natator</i>	0.56	1.17	2.39	0.00	1.22
<i>Acanthopotamon</i> sp.	1.31	0.78	1.67	0.00	1.06
<i>Squilla</i> sp.	0.00	0.78	1.91	1.20	1.06
<i>Lobster</i> sp.	0.98	0.00	1.20	0.00	0.65
<i>Macrobrachium rosenbergii</i>	0.00	0.00	0.72	0.00	0.24
<i>Octopus</i> sp.	0.33	0.00	0.00	0.00	0.08