

Table 4 Shrimp productivity in several areas in Guayas (Ecuador) farms

Area	N°	Survival (%)	Yield (kg/ha)	DFS (%/day)	FCR	FW (g)	Cycle (days)	Growth (g/week)
Esclusas	407	61.5 <sup>a</sup>	1526 <sup>a</sup>	3.10 <sup>c</sup>	2.18 <sup>b</sup>	23.1 <sup>a</sup>	139 <sup>b</sup>	1.17 <sup>b</sup>
Escalante	40	74.0 <sup>b</sup>	1896 <sup>b</sup>	2.70 <sup>a</sup>	1.82 <sup>a</sup>	23.5 <sup>a</sup>	131 <sup>a</sup>	1.27 <sup>a</sup>
Puná	88	68.4 <sup>c</sup>	1732 <sup>c</sup>	2.89 <sup>b</sup>	2.13 <sup>b</sup>	24.0 <sup>a</sup>	147 <sup>c</sup>	1.16 <sup>b</sup>
Sig. Level	-	0.000 0	0.000 0	0.000 0	0.000 0	0.063	0.000 0	0.000 0

Note: N°: Number of production cycles; DFS: Daily Feeding Supplied; FCR: Feed conversion ratio; FW: Final weight; Values in the same column with different superscripts are significantly different ( $P < 0.05$ )